L Number	Hits	Search Text	DB	Time stamp
7	3	(US-6028863-$ or US-5870749-$ or US-6594262-$).did.	USPAT	2004/04/12 11:50
8	0	((US-6028863-$ or US-5870749-$ or US-6594262-$).did.) and (generat$3 near2 code)	USPAT	2004/04/12 11:50
9	0	((US-6028863-$ or US-5870749-$ or US-6594262-$).did.) and (writ$3 near2 header)	USPAT	2004/04/12 11:50
10	0	((US-6028863-$ or US-5870749-$ or US-6594262-$).did.) and (writ$3 near4 header)	USPAT	2004/04/12 11:50
-	2	6549946.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 09:36
-	2275	(ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:13
-	129	((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:45
-	125	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:46
-	3	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (generat$4 with data with structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:42
-	1	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and sizeof$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 09:51
-	1	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (length with parameter) and (location with parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 09:58
-	73	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 09:58

-	20	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and parameter) and (data with structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:27
-	13	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (information near element)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:28
-	2	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (platform with independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:28
-	1	(ATM and sizeof) and offsetof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:57
-	72	ATM and sizeof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:34
-	23	(ATM and sizeof) and (platform adj independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:13
-	0	717/147.ccls. and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:13
-	0	717/147.ccls. and (ATM OR (asynchronous with transfer with mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:14
-	166	717.clas. and (ATM OR (asynchronous with transfer with mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:14
-	5	(717.clas. and (ATM OR (asynchronous with transfer with mode))) and PDU	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:32
-	130	370/395.3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:34

-	112	370/395.3.ccls. and (length OR location OR size OR offset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:33
-	2	(370/395.3.ccls. and (length OR location OR size OR offset)) and VCI and VPCI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:33
-	0	(370/395.3.ccls. and (length OR location OR size OR offset)) and (platform adj independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:33
-	3411	370/395.1-395.6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:34
-	6	370/395.1-395.6.ccls. and (platform adj independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:44
-	30	ATM and VPCI and VCI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:44
-	1	(ATM and VPCI and VCI) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:44
-	2	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with connection with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:45
-	427	((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:45
-	421	(((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))) and (VCI OR (virtual with channel with identifi$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:46
-	28	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:47

-	86	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (connection with identifier with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:48
-	27	(((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (connection with identifier with data)) and (data near (size or length or offset or location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:53
-	2	((((ATM OR (asynchronous with transfer with mode)) and (PDU OR (protocol with data with unit))) and (VPCI OR (virtual with path with identifi$6))) and (VCI OR (virtual with channel with identifi$6))) and (platform adj independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:22
-	1	(generat$3 with data with structure) with (connection adj identifier) and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:23
-	1	(generat$3 with data with structure) with (connection adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:23
-	1	(generat$3 with data with structure) with (connection adj2 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:23
-	19	(data with structure) with (connection adj2 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:29
-	326	compiler and (data with (size or length)) and (data with (location or offset)) and (ATM OR (asynchronous with transfer with mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:58
-	23	size$1of and offset$1of	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:02
-	6	(size$1of and offset$1of) and (platform adj independ$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:02
-	1	(ATM and size$1of) and offset$1of	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:58

-	23	size$1of and offset$1of	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:58
-	19	(size$1of and offset$1of) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 13:59
-	3135	(PDU OR (protocol with data with unit)) and data with structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:19
-	3135	(PDU OR (protocol with data with unit)) and (data with structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:45
-	781	((PDU OR (protocol with data with unit)) and (data with structure)) and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:20
-	122	(((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:28
-	101	((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat$3))) and connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:23
-	78	(((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat$3 OR custom) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:45
-	26	((((PDU OR (protocol with data with unit)) and (data with structure)) and ATM) and (structure with (generat$3 OR custom) with data)) and (generat$3 OR custom).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:29
-	3143	(PDU$1 OR (protocol with data with unit)) and (data with structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:48
-	305	((PDU$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat$3 OR custom) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:46

-	78	(((PDU$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat$3 OR custom) with data)) and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:47
-	3	(((PDU$1 OR (protocol with data with unit)) and (data with structure)) and (structure with (generat$3 OR custom) with data)) and length same location same parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:47
-	5681	(packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:52
-	54	((packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)) and ATM$1 and VCI$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:49
-	4586	((packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)) and table and (VPCI$1) OR VPI$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:06
-	384	(((packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)) and table and (VPCI$1) OR VPI$1) and size and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:53
-	105	((((packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)) and table and (VPCI$1) OR VPI$1) and size and offset) and (size with data) and (offset with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:53
-	74	(((packet OR frame OR PDU$1 OR (protocol with data with unit)) and ((generat$3 OR custom) with data with structure)) and table and (VPCI$1) OR VPI$1) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:13
-	25422	(ATM$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU$1 OR (protocol with data with unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:04
-	388	((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat$3 OR custom$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:19
-	27	(((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat$3 OR custom$7)) and ((ATM$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU$1 OR (protocol with data with unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:27

-	24	(((((data adj structure) same (("4" OR "8" OR "16" OR "32" OR "64") with bit)) same (generat$3 OR custom$7)) and ((ATM$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU$1 OR (protocol with data with unit)))) and (length OR size) and (location OR offset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:28
-	23	size$1of and offset$1of	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:41
-	15	(size$1of and offset$1of) and (frame OR packet OR PDU$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:43
-	9	(size$1of and offset$1of) and communication same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 16:43
-	25455	(ATM$1 OR (asynchronous with transfer with mode)) and (packet OR frame OR PDU$1 OR (protocol with data with unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:05
-	1325	(ATM$1 OR (asynchronous with transfer with mode)) and (PDU$1 OR (protocol adj data adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:05
-	163	((ATM$1 OR (asynchronous with transfer with mode)) and (PDU$1 OR (protocol adj data adj unit))) and (connection adj identifi$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:46
-	111	(((ATM$1 OR (asynchronous with transfer with mode)) and (PDU$1 OR (protocol adj data adj unit))) and (connection adj identifi$6)) and (VPI OR VPCI) and VCI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:12
-	33	((((ATM$1 OR (asynchronous with transfer with mode)) and (PDU$1 OR (protocol adj data adj unit))) and (connection adj identifi$6)) and (VPI OR VPCI) and VCI) and (data adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:37
-	179	ATM and (CMIP OR (common with management with information with protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:38
-	34	(ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:42

-	0	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred same exclusive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:39
-	16	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred OR exclusive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:39
-	1	((ATM and (CMIP OR (common with management with information with protocol))) and (VPCI OR VPI) and VCI) and (preferred/exclusive OR prefered/exclusive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:45
-	2	(preferred/exclusive OR prefered/exclusive) and ATM and PDU$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:45
-	2	((preferred/exclusive OR prefered/exclusive) and ATM and PDU$1) and (connection adj identifi$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:46